

**To:** Seter, David[Seter.David@epa.gov]; Rodriguez, Dante[Rodriguez.Dante@epa.gov]; Ball, Harold[Ball.Harold@epa.gov]  
**From:** Collins, Jim  
**Sent:** Thur 10/20/2016 11:32:32 PM  
**Subject:** FW: Yerington Mine Site - Letter re Domestic Well Monitoring and Bottled Water Programs  
[Section 5.0 from 2015 Annual DWMR.pdf](#)  
[May 2016 Monthly Report.pdf](#)  
[June 2016 Monthly Report.pdf](#)  
[July 2016 Monthly Report.pdf](#)  
[August 2016 Monthly Report.pdf](#)  
[September 2016 Monthly Report.pdf](#)

Here is the completed and corrected email from Adam Cohen re the BWP, with attachments.

Jim Collins

Assistant Regional Counsel

USEPA, Region 9

75 Hawthorne Street, San Francisco, CA 94105

415-972-3894

**From:** Cohen, Adam [mailto:Adam.Cohen@dgsllaw.com]  
**Sent:** Thursday, October 20, 2016 4:30 PM  
**To:** Collins, Jim <Collins.Jim@epa.gov>  
**Cc:** Cohen, Adam <Adam.Cohen@dgsllaw.com>  
**Subject:** FW: Yerington Mine Site - Letter re Domestic Well Monitoring and Bottled Water Programs

Jim – Thank you for your call today about ARC’s September 1, 2016 letter request. As I pointed out, ARC had previously informed EPA that changes to the Domestic Well Monitoring Program and Bottled Water Program would be coming as properties were connected to the City of Yerington municipal water system and also to account for connections to the YPT water treatment system. See attached excerpt (page 74) from the 2015 Annual Domestic Well Monitoring Report submitted to EPA on February 19, 2016. ARC’s monthly progress reports began including similar language earlier this year. The June 6, 2016 Monthly Report (for May 2016) stated that “the number of domestic wells requiring monitoring will decrease as properties continue to be connected to the Yerington municipal system, and domestic wells are taken out of

service,” and that “ARC will be requesting approval from EPA to curtail the Bottled Water Program as properties that are currently receiving bottled water continue to be connected to the Yerington municipal system.” Similar language appeared in the Monthly Reports submitted on July 6, August 9, September 9, and October 10. Let me know if you have any questions about the attached documents.

**Adam S. Cohen** ▪ **Partner**

P: 303.892.7321 ▪ C: 720.936.3017 ▪ P: 303.892.9400 ▪ [vcard](#)

Davis Graham & Stubbs LLP

1550 17th Street, Suite 500 ▪ Denver, CO 80202

**A LexMundi Member**

**From:** Cohen, Adam

**Sent:** Thursday, September 01, 2016 10:39 AM

**To:** Seter, David

**Cc:** Cohen, Adam; Ball, Harold ([Ball.Harold@epa.gov](mailto:Ball.Harold@epa.gov)); [rodriguez.dante@epa.gov](mailto:rodriguez.dante@epa.gov); J. Andrew Helmlinger ([Helmlinger.Andrew@epa.gov](mailto:Helmlinger.Andrew@epa.gov)); [glovato@ndep.nv.gov](mailto:glovato@ndep.nv.gov); [jrcollins@ndep.nv.gov](mailto:jrcollins@ndep.nv.gov); [JGARDNER@ndep.nv.gov](mailto:JGARDNER@ndep.nv.gov); Halsey, Ronald H; 'Block, Nathan'; Gallery, Patricia A ([patricia.gallery@bp.com](mailto:patricia.gallery@bp.com)); [Brian.S.Johnson@bp.com](mailto:Brian.S.Johnson@bp.com); Chuck Zimmerman ([CZimmerman@brwnald.com](mailto:CZimmerman@brwnald.com)); Dan Ferriter ([dan.ferriter@copperenv.com](mailto:dan.ferriter@copperenv.com)); [jbatchelder@envirosolve.com](mailto:jbatchelder@envirosolve.com)

**Subject:** Yerington Mine Site - Letter re Domestic Well Monitoring and Bottled Water Programs

Dave – I’m forwarding the attached letter on Jack Oman’s behalf. It summarizes completion of the Yerington City water system extensions to properties north of the mine site, and it requests confirmation from EPA that domestic well monitoring and bottled water deliveries can be discontinued for these properties and also for properties receiving treated water from the YPT system. Please contact Jack with any related questions.

**Adam S. Cohen**

P: 303.892.7321 ▪ C: 720.936.3017 ▪ P: 303.892.9400 ▪ [vcard](#)

**Davis Graham & Stubbs LLP**

1550 17th Street, Suite 500 ▪ Denver, CO 80202

*This email message, and its attachment(s), is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure*

*or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.*